

Contents

Letters to the Editor

New COMPTEL gamma-ray source (GRO J0516–609) near PKS 0506–612/0522–611: first evidence for “MeV Blazars”

Bloemen H., Bennett K., Blom J.J., Collmar W., Hermsen W., Lichti G.G., Morris D., Schönfelder V., Stacy J.G., Strong A.W., Winkler C.

COMPTEL detection of two spatially-coincident γ -ray bursts

Kippen R.M., Bennett K., Connors A., Hanlon L.O., Harrison T.E., Hermsen W., McNamara B., O’Flaherty K.S., Pedersen H., Ryan J., Schönfelder V., Winkler C.

183 GHz water emission in W 49N

González-Alfonso E., Cernicharo J., Bachiller R., Fuente A.

Proof of a fast wind in the symbiotic nova AG Pegasi

Nussbaumer H., Schmutz W., Vogel M.

Association of unidentified, low latitude EGRET sources with supernova remnants

Sturmer S.J., Dermer C.D.

Discovery of three UV-bright $z > 2$ quasars

Reimers D., Rodriguez-Pascual P., Hagen H.-J., Wisotzki L.

The extremely iron-deficient “Post-AGB” stars are binaries

Van Winckel H., Waelkens C., Waters L.B.F.M.

An X-ray correlated H α flare in GX 1+4

Manchanda R.K., James S.D., Lawson W.A., Sood R.K., Grey D.J., Sharma D.P.

Two new possible members of the IC 342-Maffei 1/2 group of galaxies

Huchtmeier W.K., Lercher G., Seiberger R., Sauer W., Weinberger R.

Radio supernovae as TeV gamma-ray sources

Kirk J.G., Duffy P., Ball L.

Size estimate of “asteroid” 2060 Chiron from 250 GHz measurements

Altenhoff W.J., Stumpff P.

Direct detection of a cometary nucleus with the Hubble Space Telescope

Lamy P.L., Toth I.

Polarisation as a tool for gravitational microlensing surveys

Simmons J.F.L., Willis J.P., Newsam A.M.

A bright X-ray and radio corona on the F0V star 47 Cas?

Güdel M., Schmitt J.H.M.M., Benz A.O.

Proposed identification for the (common) carrier of the 4430 Å and 7565 Å DIBs

Léger A., d’Hendecourt L., Défourneau D. L53

A new method for the determination of [Fe/H] in RR Lyrae stars

Kovács G., Zsoldos E. L57

Submm polarimetric observations of NGC 1333 IRAS 4A and 4B: tracing the circumstellar magnetic field

Minchin N.R., Sandell G., Murray A.G. L61

Are spiral disks really opaque?

Xu C., Buat V. L65

The optical spectrum of GRO J0422+32 near quiescence

Bonnet-Bidaud J.M., Mouchez M. L69

Cosmic acceleration of the Earth and Moon by dark matter

Nordtvedt K.L., Müller J., Soffel M. L73

Discovery of two hot DO white dwarfs exhibiting ultrahigh-excitation absorption lines

Werner K., Dreizler S., Heber U., Rauch T., Wisotzki L., Hagen H.-J. L75

Cosmology

On the magnification of gravitational lens images near cusps

Zakharov A.F. 1

(RN) The three-point correlation function: moment method vs. direct counting

Pons-Bordería M.-J., Martínez V.J. 5

Optimal reconstruction of the velocity and density field: potent and max-flow algorithms

Simmons J.F.L., Newsam A., Hendry M.A. 13

Extragalactic astronomy

The internal structure of disk elliptical galaxies

Scorza C., Bender R. 20

Multiband VLBI imaging of the jet in 3C 345

Rantakyrö F.T., Bäåth L.B., Matveenko L. 44

The radio-FIR correlation of galaxies in the Virgo Cluster

Niklas S., Klein U., Wielebinski R. 56

L49 Erratum The magnetic field in the halo of M 82. Polarized

radio emission at $\lambda\lambda 6.2$ and 3.6 cm

Reuter H.-P., Klein U., Lesch H., Wielebinski R., Kronberg P.P. 287

A snapshot of the continuous emission of the active galactic nucleus in NGC 3783 from gamma-ray to radio wavelengths

Alloin D., Santos-Lleo M., Peterson B.M., Wamsteker W., Altieri B., Brinkmann W., Clavel J., Crenshaw D.M., George I.M., Glass I.S., Johnson W.N., Kriss G.A., Malkan M.A., Polidan R.S., Reichert G.A., Rodríguez-Pascual P.M., Romanishin W., Starr C.H., Stirpe G.M., Taylor M., Turner T.J., Vega H., Winge C., Wood D.O.S.

(RN) Contribution of gravitational redshift to spectral line profiles of Seyfert galaxies and quasars

Popović L.Č., Vince I., Atanacković-Vukmanović O., Kubičela A.

CO (1–0) observations of the cooling flow galaxy NGC 1275 with the IRAM interferometer

Braine J., Wyrowski F., Radford S.J.E., Henkel C., Lesch H.

(RN) A search for low surface brightness galaxies in Virgo using Tech Pan films

Schwartzberg J.M., Phillipps S., Parker Q.A.

The gas distribution and binding mass in the A 2163 cluster

Elbaz D., Arnaud M., Böhringer H.

Chemical evolution of the Magellanic Clouds. VI. Chemical composition of nine F supergiants from different regions of the large Magellanic Cloud

Hill V., Andrievsky S., Spite M.

Observations and models of the UV/soft X-ray spectrum of the quasar PG 1116+215

Ulrich M.-H., Molendi S.

Chemical evolution in a multiple starburst environment. Odd abundance ratios in the light of the first generation of stars

Olofsson K.

The jet–disk symbiosis. I. Radio to X-ray emission models for quasars

Falcke H., Biermann P.L.

Environments of Seyfert galaxies. II. Statistical analyses

Laurikainen E., Salo H.

The outflow in the halo of M 82

McKeith C.D., Greve A., Downes D., Prada F.

Formation, structure and evolution of stars

Amplitudes of stellar oscillations: the implications for asteroseismology

Kjeldsen H., Bedding T.R. 87

Activity, rotation and evolution of the RS CVn system λ Andromedae

Donati J.-F., Henry G.W., Hall D.S. 107

A numerical study of compressible convection

Muthsam H.J., Göb W., Kupka F., Liebich W., Zöchling J. 127

On the relative luminosities of the stars in the Wolf–Rayet binary V 444 Cygni

Cherepashchuk A.M., Koenigsberger G., Marchenko S.V., Moffat A.F.J. 142

Pulsar polarimetric observations at 10.55 GHz

Xilouris K.M., Seiradakis J.H., Gil J., Sieber W., Wielebinski R. 153

The peculiar binary supergiant 3 Puppis

Plets H., Waelkens C., Trams N.R. 363

An orbital period study of SZ Piscium

Kalimeris A., Mitrou C.K., Doyle J.G., Antonopoulou E., Rovithis-Livaniou H. 371

High-precision, longitudinal, disc-averaged magnetic field measurements of α Canis Minoris and β Leporis

Bedford D.K., Chaplin W.J., Davies A.R., Innis J.L., Isaak G.R., Speake C.C. 377

The evolution of galactic carbon stars

Groenewegen M.A.T., van den Hoek L.B., de Jong T. 381

Erratum Rotation, magnetic braking, and dynamos in cool giants and subgiants

Schrrijver C.J., Pols O.R. 640

The bright linear type II SN 1990K

Cappellaro E., Danziger I.J., Della Valle M., Gouiffes C., Turatto M. 723

Spectropolarimetry of magnetic stars. IV. The crossover effect

Mathys G. 733

Spectropolarimetry of magnetic stars. V. The mean quadratic magnetic field

Mathys G. 746

Two-pole accretion in the high-field polar RXJ 1938.6–4612

Schwope A.D., Thomas H.-C., Beuermann K., Burwitz V., Jordan S., Haefner R. 764

Dynamo spectroscopy

Hooyng P., Schutgens N.A.J. 777

The far UV variability of the symbiotic star SY Muscae

Pereira C.B., Vogel M., Nussbaumer H. 783

Timing measurements for 45 pulsars

Johnston S., Manchester R.N., Lyne A.G., Kaspi V.M., D'Amico N. 795

Gamma-ray bursts from relativistic beams in neutron star mergers

Mochkovitch R., Hernanz M., Isern J., Loiseau S. 803

Magnetic fields of the HgMn spectroscopic binaries χ Lupi and 74 Aquarii

Mathys G., Hubrig S. 810

UBV photometric properties of the symbiotic star V 443 Herculis

Kolotilov E.A., Munari U., Yudin B.F. 815

Stellar clusters and associations

(RN) Far-infrared observations of chromospherically active stars in stellar clusters

Tsikoudi V., Bromage G.E.

Star complexes and their rotation

Efremov Y.N., Chernin A.D.

Abundance analysis and origin of the ξ Sculptoris open cluster

Edvardsson B., Pettersson B., Kharrazi M., Westerlund B.

(RN) The spectroscopic binary HD 23642 and the distance of the Pleiades

Giannuzzi M.A.

A study of the young cluster NGC 330 in the Small Magellanic Cloud

Chiosi C., Vallenari A., Bressan A., Deng L., Ortolani S.

On the mass ejection and thermal pulses of an AGB star with an initial mass of $7 M_{\odot}$		Optical outflows in the vicinity of LkHα 198	198
<i>Jiang S.Y., Huang R.Q., Yuan Y.Q.</i>	823	<i>Corcoran D., Ray T.P., Bastien P.</i>	550
Erratum Line profile variations of rotating, pulsating stars		Comment on the coal model of interstellar dust	
<i>Aerts C., Waelkens C.</i>	978	<i>Puget J.L., Léger A., d'Hendecourt L.</i>	559
Stellar atmospheres		Reply to "Comment on the coal model of interstellar dust"	
Line radiation cooling with partial redistribution in atmospheres with shocks		<i>Papoular R., Guillois O., Nenner I., Reynaud C.</i>	562
<i>Hünern G., Ulmschneider P.</i>	166	Ultra-low-frequency background radiation of the Galaxy	
Fundamental parameters of Wolf-Rayet stars. I. Ofpe/WN9 stars		<i>Fleishman G.D., Tokarev Y.V.</i>	565
<i>Crowther P.A., Hillier D.J., Smith L.J.</i>	172	The intermittency of turbulence in interstellar clouds: implications for the gas kinetic temperature and decoupling of heavy particles from the gas motions	
Circumstellar CO emission in S stars. I. Mass-loss with little or no dust		<i>Falgarone E., Puget J.-L.</i>	840
<i>Sahai R., Liechti S.</i>	198	ROSAT X-ray observations of the supernova remnant HB 9	
Variable circumstellar obscuration and variability of emission lines in the spectra of the Herbig Ae/Be stars		<i>Leahy D.A., Aschenbach B.</i>	853
<i>Grinin V.P., Tambovtseva L.V.</i>	396	Paramagnetic alignment of fractal grains	
Fundamental parameters of Wolf-Rayet stars. II. Tailored analyses of Galactic WNL stars		<i>Lazarian A.</i>	859
<i>Crowther P.A., Hillier D.J., Smith L.J.</i>	403	Morphological populations of planetary nebulae: which progenitors? I. Comparative properties of bipolar nebulae	
Fundamental parameters of Wolf-Rayet stars. III. The evolutionary status of WNL stars		<i>Corradi R.L.M., Schwarz H.E.</i>	871
<i>Crowther P.A., Smith L.J., Hillier D.J., Schmutz W.</i>	427	X-raying the interstellar medium: ROSAT observations of dust scattering halos	
The calibration of $uvby\beta$ photometry for B, A and F stars. I. Fundamental atmospheric parameters		<i>Predehl P., Schmitt J.H.M.M.</i>	889
<i>Smalley B., Dworetsky M.M.</i>	446	The Sun	
High-resolution spectroscopy and NLTE calculations of the HeI 10830 Å line in magnetic chemically peculiar stars. A search for indirect evidences of hot stellar envelopes		The coronal aureole	
<i>Leone F., Lanzafame A.C., Pasquini L.</i>	457	<i>Fang Y., Lamy P.L., Llebaria A.</i>	208
Dust shells around infrared carbon stars		Current sheet configurations in potential and force-free fields	
<i>Groenewegen M.A.T.</i>	463	<i>Bungey T.N., Priest E.R.</i>	215
Constraints on Be star geometry derived from combined photometric, IR excess, and optical polarimetry data		Infrared lines as probes of solar magnetic features. VIII. MgI 12 μm diagnostics of sunspots	
<i>Aerts C., Molenberghs G.</i>	528	<i>Bruls J.H.M.J., Solanki S.K., Rutten R.J., Carlsson M.</i>	225
The complex dielectric function for circumstellar silicate grains based on the IRAS data		Infrared lines as probes of solar magnetic features. IX. MgI 12 μm diagnostics of solar plage	
<i>David P., Pégourié B.</i>	833	<i>Bruls J.H.M.J., Solanki S.K.</i>	240
Diffuse matter in space (including H II regions and planetary nebulae)		Infrared lines as probes of solar magnetic features. X. HeI 10830 Å as a diagnostic of chromospheric magnetic fields	
Interstellar scintillation of the radio source 0917+624		<i>Rüedi I., Solanki S.K., Livingston W.C.</i>	252
<i>Rickett B.J., Quirrenbach A., Wegner R., Krichbaum T.P., Witzel A.</i>	479	Frequency-time analysis of solar irradiance and activity indices	
Molecular gas in cometary globules: CG 4 and CG 6 in the Gum Nebula		<i>Mordvinov A.V.</i>	572
<i>González-Alfonso E., Cernicharo J., Radford S.J.E.</i>	493	Quantitative interpretation of GOES soft X-ray measurements. I. The isothermal approximation: application of various atomic data	
Study of turbulence in HI using radiointerferometers		<i>Sylwester J., Garcia H.A., Sylwester B.</i>	577
<i>Lazarian A.</i>	507	Computation of the magnetic field around a quiescent prominence from observational data	
The active source in the region of the Herbig star BD +40°4124		<i>Lepeltier T., Aly J.J.</i>	906
<i>Palla F., Testi L., Hunter T.R., Taylor G.B., Prusti T., Felli M., Natta A., Stanga R.M.</i>	521	Turbulent coronal heating. I. Sheared arcade	
The curious kinematics of the Honeycomb nebula in the Large Magellanic Cloud		<i>Inverarity G.W., Priest E.R., Heyvaerts J.</i>	913
<i>Meaburn J., Wang L., Bryce M.</i>	532	The solar system	
On an alternative statistical distance scale for planetary nebulae		Propagation and trapping of global oscillations in the Jovian troposphere and stratosphere	
<i>Van de Steene G.C., Zijlstra A.A.</i>	541	<i>Mosser B.</i>	586
		Simulation of the cometary 10 μm band by means of laboratory results on silicate grains	
		<i>Colangeli L., Mennella V., Di Marino C., Rotundi A., Bussolotti E.</i>	927

The effect of distant stellar encounters on planetary systems. II Brunini A.	935	Abstracts of articles which have been published in A&A Supplement Series 109, No. 1	983
Post-perihelion observations of comet P/Halley. IV. $r = 16.6$ and 18.8 AU Hainaut O., West R.M., Marsden B.G.; Smette A., Meech K.	941	CCD photometry of the globular clusters NGC 6496, NGC 6624, and NGC 6637 Richtler T.	983
Interrelating asteroid size, albedo, and magnitude distributions Muinonen K., Bowell E., Lumme K.	948	The EXOSAT GSPC iron line catalog Gottwald M., Parmar A.N., Reynolds A.P., White N.E., Peacock A., Taylor B.G.	983
Celestial mechanics and astrometry		Very low mass stars in the galactic cluster Praesepe Hamby N.C., Steele I.A., Hawkins M.R.S., Jameson R.F.	983
Accurate radio positions of SiO masers Baudry A., Lucas R., Guilloteau S.	594	Dynamical Voronoi tessellation. V. Thickness and incompleteness Zaninetti L.	983
Comparison between two theories of asteroid proper elements Knežević Z., Froeschlé C., Lemaitre A., Milani A., Morbidelli A.	605	Penetration of the solar granulation into the photosphere: height dependence of intensity and velocity fluctuations Espagnet O., Muller R., Roudier T., Mein N., Mein P.	984
VLBI differential astrometry of the radio sources 1928+738 and 2007+777 at 5 GHz Guirado J.C., Marcaide J.M., Elósegui P., Ratner M.I., Shapiro I.I., Eckart A., Quirrenbach A., Schalinski C.J., Witzel A.	613	CEPAM: a code for modeling the interiors of giant planets Guillot T., Morel P.	984
Physical and chemical processes		Analytic fits for partial photoionization cross sections Verner D.A., Yakovlev D.G.	984
UIR bands: computational experiments on the IR spectra of naphthalene derivatives as models for PAHs Pauzat F., Talbi D., Ellinger Y.	263	Excess H α emission in chromospherically active binaries: the spectroscopic survey Montes D., Fernández-Figueroa M.J., De Castro E., Cornide M.	984
Exact solutions for helical MHD equilibria of astrophysical jets. II. Non-barotropic models Villata M., Ferrari A.	626	The ROSAT AGN content of the 87 GB 5 GHz survey: bulk properties of previously optically identified sources Brinkmann W., Siebert J., Reich W., Fürst E., Reich P., Voges W., Trümper J., Wielebinski R.	985
Atomic data from the Iron Project. VI. Collision strengths and rate coefficients for FeII Zhang H.L., Pradhan A.K.	953	A catalog of blue horizontal branch stars in the outer galactic halo Flynn C., Sommer-Larsen J., Christensen P.R., Hawkins M.R.S.	985
Atomic data from the Iron Project. VII. Radiative dipole transition probabilities for FeII Nahar S.N.	967	Radio continuum emission from stars: a catalogue update Wendker H.J.	985
Instruments, data processing, and computational methods		Representation of planetary ephemerides by frequency analysis. Application to the five outer planets Chapront J.	985
Minimization of fiber dispersion effects in double Fourier stellar interferometers Coudé du Foresto V., Perrin G., Bocca M.	278	Atomic data from the IRON Project. VIII. Electron excitation of the 3d ⁴ 5D ₁ ground state fine-structure transitions in Ti-like ions V β , Cr β , Mn β , Fe β , Co β and Ni β Berrington K.A.	986
<i>Erratum</i> New HI observations for possible group member galaxies Garcia A.M., Bottinelli L., Durand N., Garnier R., Gouguenheim L., Paturel G.			986

